

Semantic Scholar extracted view of "Enhanced energy-storage performances of Bi₂O₃-Li₂O added (1-x)(Na_{0.5}Bi_{0.5}) TiO₃-xBaTiO₃ thick films" by Le Zhang et al. ... Xihong Hao Zhenxing Yue Jinbao Xu S. An C. Nan. Materials Science, Physics. 2011

In view of the excellent properties of CO₂ including high density, low viscosity and high molecular weight [9], compressed carbon dioxide energy storage (CCES) technology was proposed and widely studied is reported that compared with CAES, CCES system could realize greater structural flexibility and miniaturization as well as potential environmental value ...

@article{Zheng2024ThermodynamicAE, title={Thermodynamic and economic analysis of compressed carbon dioxide energy storage systems based on different storage modes}, author={Pingyang Zheng and Zhentao Zhang and Junling Yang and Jiahao Hao and Yanan Li and Yun-Pei Yue and Hong Chang}, journal={Applied Thermal Engineering}, year={2024}, ...

Ti₃C₂T_x MXene anode often faces the great challenge of a low capacity due to its sluggish ion transport kinetics. Herein we report iodine-redox-chemistry-modulated intelligent ion transport channels in Ti₃C₂T_x MXene, enabling its Li-ion storage beyond theoretical capacity. The -I terminations modified on the Ti₃C₂T_x surface (I-Ti₃C₂T_x) are oxidized into linear -I₃ in the ...

The maximum energy-storage density of 56.1±2.4 J/cm³ and a piezoelectric coefficient as high as 125±10 pm/V have been achieved in the highly (100)-oriented BNZ-PT films at 2167 kV/cm, which are increased by 40.6% and 50.6% compared to the films without seeds, respectively. ... {Zhenkun Xie and Zhenxing Yue and Bin Peng and Jie Zhang and Chuan ...

The results indicated that the PLZT AFE thick films could be a potential candidate for applications in high energy-storage density capacitors and cooling devices. Antiferroelectric (AFE) thick (1 mm) films of Pb(1-3x/2)LaxZr_{0.85}Ti_{0.15}O₃ (PLZT) with x = 0.08, 0.10, 0.12, and 0.14 were deposited on LaNiO₃/Si (100) substrates by a sol-gel method. The ...

High-performance electrode materials were obtained by isomorphism and intercalation methods, resulting in multi-types of redox reaction centers and a bridge for charge transfer. Some of the Co ions (clusters) were replaced by Ni ions with little difference in radius and different types of ...

Read the latest articles of Energy Storage Materials at ScienceDirect , Elsevier's leading platform of peer-reviewed scholarly literature ... Yue Yang, Emenike G. Okonkwo, Guoyong Huang, Shengming Xu, ... Yinghe He. Pages 186-212 View PDF. ... Qiushi Wang, Hao Yang, Tao Meng, Jindong Yang, ... Yexiang Tong. Pages 365-375 View PDF.

Bingbing Yang, Yang Zhang, Hao Pan, Wenlong Si, Qinghua Zhang, Zhonghui Shen, Yong Yu, Shun Lan, Fanqi Meng, Yiqian Liu, Houbing Huang, Jiaqing He, Lin Gu, Shujun Zhang, Long Qing Chen, Jing Zhu, Ce Wen Nan, Yuan Hua Lin. ... thus synergistically contributing to the energy storage performance. This high-entropy approach is expected to be widely ...

Integrated energy conversion and storage devices: Interfacing solar cells, batteries and supercapacitors. Lucia Fagiolari, Matteo Sampò, Andrea Lamberti, Julia Amici, ... Federico Bella. ... Chia-Ching Lin, Hao-Yu Liu, Jin-Wei Kang, Chun ...

Finally, we propose the perspectives on the development of energy storage ceramics for pulse power capacitors in the future. AI Chat Paper. Note: Please note that the following content is generated by AMiner AI. ... Peng B, Xie Z, Yue Z, et al. ... Liu X, Li Y, Hao X. Ultra-high energy-storage density and fast discharge speed of (Pb 0.98-x La 0 ...

Abstract The development of two-dimensional (2D) high-performance electrode materials is the key to new advances in the fields of energy storage and conversion. As a novel family of 2D layered materials, MXenes possess distinct structural, electronic and chemical properties that enable vast application potential in many fields, including batteries, supercapacitor and ...

Synchrotron resonance of crab crossing scheme with large crossing angle and finite bunch length, D.Xu, Y. Hao, Y. Luo and J. Qiang, Phys. Rev. Accel. Beams 24 041002 (2021) Combined effect of crab dispersion and momentum dispersion in colliders with local crab crossing scheme, D Xu, Y.Luo, and Y. Hao, Phys. Rev. Accel. Beams 25 071002 (2022)

A new asymmetric capacitor concept is proposed providing high energy storage capacity for only one charging direction. Size-selective microporous carbons ($w \leq 0.9$ nm) with narrow pore size distribution are demonstrated to exclusively electrosorb small anions (BF_4^-) but size-exclude larger cations (TBA^+ or TPA^+), while the counter electrode, an ordered ...

Large-scale geologic CO₂ storage (GCS) can be limited by overpressure, while geothermal energy production is often limited by pressure depletion. We investigate how synergistic integration of these complementary systems may enhance the viability of GCS by relieving overpressure, which reduces pore-space competition, the Area of Review, and the risks of CO ...

@article{Luo2021FlameretardantAF, title={Flame-retardant and form-stable phase change composites based on MXene with high thermostability and thermal conductivity for thermal energy storage}, author={Yong Luo and Yuhui Xie and Hao Jiang and Ying Chen and Li Zhang and Xinxin Sheng and Delong Xie and Huarong Wu and Yi Mei}, journal={Chemical ...

As the installed capacity of renewable clean energy sources such as wind and solar energy continue to

increase, energy storage technology is becoming increasing ... Zheng, Pingyang and Shen, Daibing and Wang, Wenrui and Hao, Jiahao and Zhang, Zhentao and Yang, Junling and Li, Xiaoqiong and Yue, Yunkai, Energy and Exergy Analyses Of A Novel ...

Naifang Hu, Yu-Han Zhang, Yuan Yang, Hui Wu, Yuehui Liu, Congyi Hao, Yue Zheng, Deye Sun, Wenru Li, Jiedong Li, Zhiwei Hu, Ting-Shan Chan, Cheng-Wei Kao, Qingyu Kong, Xiaogang Wang, Shu-Chih Haw, Jun Ma, Guanglei Cui ... English-language forum of original peer-reviewed contributions on materials used in all forms of energy harvesting ...

Congyi Hao. Qingdao Industrial Energy Storage Research Institute, Qingdao Institute of Bioenergy and Bioprocess Technology, Chinese Academy of Sciences, Qingdao, 266101 P. R. China ... Yue Zheng, Yue Zheng. Qingdao Industrial Energy Storage Research Institute, Qingdao Institute of Bioenergy and Bioprocess Technology, Chinese Academy of ...

Silicon-based energy storage systems are emerging as promising alternatives to the traditional energy storage technologies. This review provides a comprehensive overview of the current state of research on silicon-based energy storage systems, including silicon-based batteries and supercapacitors. This article discusses the unique properties of silicon, which ...

HK Hao Yue Electronics Ltd signed a cooperation agreement first with the customer, and purchase raw materials and finished goods from specified overseas suppliers based on the purchase order, assist customers in product import customs declaration, commodity inspection, foreign exchange, storage, transportation and distribution of whole supply chain service.

Lead-free bulk ceramics for advanced pulsed power capacitors show relatively low recoverable energy storage density (Wrec) especially at low electric field condition. ... Xu Q, Li TM, Hao H, et al. Enhanced energy storage properties of NaNbO_3 modified $\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3$ based ceramics. J Eur Ceram Soc 2015, 35: 545-553.

In the past decade, efforts have been made to optimize these parameters to improve the energy-storage performances of MLCCs. Typically, to suppress the polarization hysteresis loss, constructing relaxor ferroelectrics (RFEs) with nanodomain structures is an effective tactic in ferroelectric-based dielectrics [e.g., BiFeO_3 (7, 8), $(\text{Bi}_{0.5}\text{Na}_{0.5})\text{TiO}_3$ (9, ...

Web: <https://www.wholesalesolar.co.za>