

Energy loss at perovskite/electron transporting layer (ETL) interface is one key reason limiting the efficiency of inverted CsPbI₃ perovskite solar cells (PSCs). Here we introduce a back-surface field in inverted PSCs through 4-Imidazoleethylamine (4-IEA) treatment to mitigate such interfacial energy loss. 4-IEA treatment will upshift the Fermi level of CsPbI₃ surface and ...

This study builds upon the success achieved from commercial self-assembled monolayers (SAMs), such as Me-4PACz, by replacing its flexible butyl linker with a conjugated phenylene ring to form a SAM molecule, Me-PhPACz, for inverted perovskite solar cells (PSCs). The Me-PhPACz-derived PSCs exhibited an unprecedented power conversion ...

Perovskite solar cells (PSCs) with high power conversion efficiency (PCE) and stability have been reported in regular n-i-p devices, but inverted p-i-n PSCs that could be easier to use in tandem solar cells usually have lower PCEs (22 to 23%) Li et al. sulfurized a lead-rich layer with hexamethyldisilathiane, and the lead-sulfur bonds shifted the Fermi level of ...

Perovskite solar cells (PSCs) have reached power conversion efficiencies (PCEs) >25%, approaching the PCEs of state-of-the-art crystalline-silicon solar cells (1-3). Further improvements to the performance and stability of PSCs will require delicate management of the interfaces between the perovskite absorber and charge transport layers (4-6). ...

Hybrid organic-inorganic halide perovskites are attractive photoelectric materials exhibiting the advantages of low cost and ease in manufacturing while exhibiting strong panchromatic sunlight absorption (), long carrier diffusion lengths (), and adjustable direct bandgaps (). The power conversion efficiencies (PCEs) of perovskite solar cells (PSCs) ...

The remarkable optoelectronic capabilities of metal halide perovskites are primarily responsible for their fast development [1]. A prospective option for the next-generation photovoltaic device, the certified power conversion efficiency (PCE) of inverted (p-i-n) perovskite solar cells (PSCs) has grown to 25.37 % [2], which is already very close to the certified PCE (25.73 %) of ...

The inverted inorganic PSCs are mainly focused on CsPbI₃ and CsPbI₂Br due to their suitable bandgap (1.7 and 1.9 eV for CsPbI₃ and CsPbI₂Br, respectively) for application in photovoltaic field. Figure 2 summarizes the efficiency evolution of the corresponding inverted PSCs. The first inverted inorganic PSC was proposed by Snaith in 2015, showing an efficiency ...

Inverted perovskite solar cells (PSCs) have been extensively studied by reason of their negligible hysteresis effect, easy fabrication, flexible PSCs and good stability. The certified photoelectric conversion efficiency

(PCE) achieved 23.5% owing to the formed lead-sulfur (Pb-S) bonds through the surface sulfidation process of perovskite film, which gradually approaches ...

Compared with the n-i-p structure, inverted (p-i-n) perovskite solar cells (PSCs) promise increased operating stability, but these photovoltaic cells often exhibit lower power conversion efficiencies (PCEs) because of nonradiative recombination losses, particularly at the perovskite/C 60 interface. We passivated surface defects and enabled reflection of minority ...

Self-assembled monolayers (SAM) modified nickel oxide (NiOx) is used as a hole-selective layer in inverted perovskite solar cells and finally, the highest power conversion efficiency of 24.8% is achi... Abstract Nickel oxide is one of the most promising hole-transporting materials in inverted perovskite solar cells (PSCs) but suffers from ...

Perovskite solar cells (PSCs) have experienced a rapid development during the past decade. For regular PSCs, device efficiency has reached already a power conversion efficiency (PCE) of 25.5%. Inverted PSCs have been attracting increasing attention owing to their easy fabrication, cost-effectiveness, and suppressed hysteresis characteristics.

Poly(3-hexylthiophene) is the most representative conjugated polymer donor material. However, its OSCs application is limited by its relatively wide bandgap ~ 2.0 eV and thus lack broad absorption profile to collect a large fraction of the solar spectrum (ca. $\leq 30\%$) [53], [54], [55]. Furthermore, a relatively high-lying HOMO energy level determines the maximum cell V ...

The regulation of SAMs growth on substrates continues to be a challenge, which limits the performance and reproducibility of perovskite solar cells with inverted structures. In this study, we present a comprehensive investigation into the influence of substrate morphologies on the growth modes of hole-transporting layers (HTLs) and their impact ...

Recently, inverted perovskite solar cells (IPSCs) have received note-worthy consideration in the photovoltaic domain because of its dependable operating stability, minimal hysteresis, and low-temperature manufacture technique in the quest to satisfy global energy demand through renewable means. In a decade transition, perovskite solar cells in general ...

Web: <https://www.wholesalesolar.co.za>