

As a highly appealing technology for hydrogen generation, water electrolysis including oxygen evolution reaction (OER) at the anode and hydrogen evolution reaction (HER) at the cathode largely depends on the availability of efficient electrocatalysts. Accordingly, over the past years, much effort has been made to develop various electrocatalysts with superior ...

WA School of Mines: Minerals, Energy and Chemical Engineering (WASM-MECE), Curtin University, Perth, Western Australia, 6845 Australia. Search for more papers by this author. ... Wei Zhou. State Key Laboratory of Materials-Oriented Chemical Engineering, College of Chemical Engineering, Nanjing Tech University, Nanjing, 211816 P. R. China.

Transition metal phosphides (TMPs) have shown promising performance in electrocatalytic water splitting. However, the sluggish kinetic of oxygen evolution reaction (OER) process deteriorates their activity toward overall water splitting. To overcome this issue, two-dimensional (2D) ultrathin arrays of metal-doped CoP (MCoP; M = Fe, Ni, and Mg) were ...

Two-dimensional (2D) nanochannel arrays are constructed by bottom-up reassembly of montmorillonite monolayers that are obtained by liquid-phase exfoliation of its layered crystals, and the as-constructed interstitial space between these monolayers is uniform and provides ions with nanoscale transport channels. Surface-charge-controlled ion transport ...

In view of the growing energy crisis and the heavy environmental threats, there has been a high demand on clean renewable energy technologies with sustainable methods [1]. Fuel cells, microbial fuel cells (MFCs), water splitting, metal-air batteries, supercapacitors, rechargeable batteries and etc. are among the most promising energy conversion and storage ...

Compared with the energy storage properties at room temperature, the performance at elevated temperatures is more worth exploring. The high-temperature E<sub>b</sub> of the two polyimide films at 150 °C is shown in Fig. 5 a, and the E<sub>b</sub> value of semi-aromatic polyimide (430.7 MV m<sup>-1</sup>) is also significantly greater than that of all-aromatic polyimide ...

Among various applications, energy storage devices with high power and energy densities are intensively demanded for phase regulation of grid and electric vehicle application [7]. Therefore, it is urgent to develop suitable materials with fast kinetics for improving the electrochemical performances.

Note: (a) undergraduate and high-school co-authors are marked in green. (b) # denotes equal contributors. 462. Xiaxia Chen, Ruyu Pan, Hongwei Xu, Shuang Wu, Chao Liu, Zhonghui Zheng, Yinglong Wang, Shaowei Chen, Fanqing Meng, "High-yield preparation of 1T-MoS<sub>2</sub> with excellent piezo-catalytic activity via W<sup>6+</sup>

doping for antibiotics degradation and Cr(VI) ...

The explore and development of electrocatalysts have gained significant attention due to their indispensable status in energy storage and conversion systems, such as fuel cells, metal-air batteries and solar water splitting cells. Layered double ... Zhou L.J., Huang X.X., Chen H., Jin P.P., Li G.D., Zou X.X. Dalton Trans., 25 (2015), pp ...

Ziyan Yuan, Jingao Zheng, Xiaochuan Chen, Fuyu Xiao, Xuhui Yang, Luteng Luo, Peixun Xiong, Wenbin Lai, Chuyuan Lin, Fei Qin, Weicai Peng, Zhanjun Chen, Qingrong Qian, Qinghua Chen, Lingxing Zeng. In Situ Encapsulation of MoS<sub>x</sub>Se<sub>2-x</sub> Nanocrystals with the Synergistic Function of Anion Doping and Physical Confinement with Chemical Bonding for ...

Seasonal energy storage for energy management in distributed energy systems can provide energy flexibility ... Monte Carlo simulation, single-objective and multi-objective optimizations. Regarding renewables-buildings-vehicles energy systems, Zhou et al ... (2024312133), HKUST(GZ)-enterprise cooperation projects (R00017-2001, R00072-2001 ...

With ever-increasing energy crisis and environmental pollution issues [1, 2], lithium-sulfur (Li-S) batteries have gained growing number of attention and are considered as one of the most promising next-generation energy storage systems owing to their remarkably high energy density (2600 Wh kg<sup>-1</sup>), as well as the nontoxicity, low cost, large theoretical specific ...

Chuan Zhou. State Key Laboratory of Materials-Oriented Chemical Engineering, College of Chemical Engineering, Nanjing Tech University, Nanjing, 210009 China. ... Energy and Chemical Engineering (WASM-MECE), Curtin University, Perth, 6102 WA, Australia. Search for more papers by this author. Wei Zhou, Corresponding Author. Wei Zhou [email protected]

In linear dielectric polymers (the electric polarization scales linearly with the electric field, such as polypropylene, PP), the electrical conduction loss is the predominant energy loss mechanism under elevated temperatures and high electric fields [14, 15] corporating highly insulating inorganic nanoparticles into polymer dielectrics has been proved effective in the ...

[9] Jin Jia, Weijia Zhou\*, Zhaoqian Wei, Tanli Xiong, Guixiang Li, Lili Zhao, Xiaofei Zhang, Hong Liu, Jian Zhou, Shaowei Chen\*, Molybdenum Carbide on Hierarchical Porous Carbon Synthesized from Cu-MoO<sub>2</sub> as Efficient Electrocatalysts for Electrochemical Hydrogen Generation, Nano Energy, 2017, 41, 749-757; 2017-12-8

Prussian blue analogues (PBAs) are considered to be ideal multivalent cation host materials due to their unique open-framework structure. In aqueous solution, however, the PBAs" cathodes have a low reversible capacity limited by the single electrochemical group Fe(CN)<sub>6</sub><sup>3-</sup> and high crystal water content. They also suffer from fast cycle fading, resulting ...

Compared with electrochemical energy storage techniques, electrostatic energy storage based on dielectric capacitors is an optimal enabler of fast charging-and-discharging speed (at the microsecond level) and ultrahigh power density (1-3). Dielectric capacitors are thus playing an ever-increasing role in electronic devices and electrical power systems.

The design of highly active and cost-effective catalysts for energy storage and conversion applications is a critical strategy in the pursuit of sustainable energy [1], [2], [3]. The oxygen reduction reaction (ORR) in particular is an enabling process for many energy storage options, such as fuel cells and metal-air batteries [4], [5], [6].

9. Hainan Sun, Zhiwei Hu, Xiaomin Xu, Hong-Ji Lin, Chien-Te Chen, Ting-Shan Chan, Wei Zhou\*, Zongping Shao\*, Ternary Phase Diagram-Facilitated Fast Screening of Double Perovskites for the Oxygen Evolution Reaction, Chemistry of Materials, 2019, 31, 5919-5926. ( : 7.2, 2 )10. Hainan Sun, Xiaomin Xu, Zhiwei Hu, Liu Hao Tjeng, Jie Zhao, Qin Zhang, Hong-Ji Lin, ...

High recoverable energy density ( $W_{rec} \sim 2.1 \text{ J/cm}^3$ ) was obtained in  $(0.7 - x)\text{BiFeO}_3 - 0.3\text{BaTiO}_3 - x\text{Bi}(\text{Zn}_{2/3}\text{Nb}_{1/3})\text{O}_3 + 0.1 \text{ wt \% Mn}_2\text{O}_3$  (BF-BT-xBZN,  $x = 0.05$ ) lead-free ceramics at  $< 200 \text{ kV/cm}$ . Fast discharge speeds ( $< 0.5 \text{ ms}$ ), low leakage ( $\sim 10^{-7} \text{ A/cm}^2$ ), and small temperature variation in  $W_{rec}$  ( $\sim 25\%$  from 23 to 150  $^{\circ}\text{C}$ ) confirmed the potential for these ...

The burning of fossil fuels has caused a series of well-known problems, thereby driving researchers to explore alternative clean energies such as solar energy and wind energy; unfortunately, these energy sources are intermittent. Therefore, there exists an intense pursuit for grid-scale energy storage systems worldwide [1], [2].

Two-dimensional (2D) materials have attracted increasing interest in electrochemical energy storage and conversion. As typical 2D materials, layered double hydroxides (LDHs) display large potential in this area due to the facile tunability of their composition, structure and morphology. Various preparation s

With the ever-increasing adaption of large-scale energy storage systems and electric devices, the energy storage capability of batteries and supercapacitors has faced increased demand and challenges. The electrodes of these devices have experienced radical change with the introduction of nano-scale materials. As new generation materials ...

Web: <https://www.wholesalesolar.co.za>